





# REDHAVKSE COMFORT FOR THE ROAD AHEAD





ASHBROOK











Wood

Floor

Countertop

Main Fabric


Furniture

## **REDHAWK SE**










31FF



## **EXTERIOR SELECTIONS**



Standard Graphics Package

### **STANDARDS & OPTIONS**

#### **CUSTOMER VALUE PACKAGE**

One-piece, seamless, fiberglass front cap Electric patio awning Black holding tank sprayer Backup camera LED HD Smart TV

#### DRIVING

Chassis Equipment for 22A, 22C, 22E, 22T Chevy® 4500 chassis GVWR-14,200 lb. GCWR- 20,000 lb. 6.6L Vortec V8 401 HP engine with 464 ft.-lb. torque Hydra-matic 6-speed automatic transmission with overdrive 150-amp alternator StabiliTrak stability control system OnStar with 4G LTE 5,000 lb. hitch with 500 lb. tongue capacity and 7-pin plug Chassis Equipment for 22AF, 22CF, 22EF, 22TF Ford® E-350 chassis GVWR-12,500 lb. GCWR-18,500 lb. 7.3L V-8 325 HP engine with 450 ft.-lb. torgue 6-speed TorgShift® series transmission with overdrive 210-amp alternator Tire pressure monitoring system (TPMS) Catalytic converter theft deterrent Electronic stability control Traction control 5,000 lb. hitch with 500 lb. tongue capacity and 7-pin plug **Chassis Equipment for 31FF** Ford<sup>®</sup> E-450 chassis GVWR: 14,500 GCWR: 22,000 7.3L V-8 325HP engine with 450 ft.-lb. torgue 6-speed TorgShift® series transmission with overdrive 210-amp alternator Tire pressure monitoring system (TPMS) Catalytic converter theft deterrent Electronic stability control Traction control

7,500 lb. hitch with 750 lb. tongue capacity and 7-pin plug **Driving Equipment on All Floorplans** E-rated highway tires- LT225/75R16 12V chassis battery Power anti-lock brakes with power steering Remote-controlled, side-view mirrors Hill start assist Tilt steering wheel Cruise control Power windows and door locks Auxiliary start switch

#### EXTERIOR

Driver and passenger airbags

Privacy curtain for cab area

StrongholdVBL<sup>™</sup> roof, floor and sidewalls Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls) Tufflex<sup>™</sup> PVC laminated roof Aluminum running boards Fiberglass exterior walls with vinyl graphics Entrance door with industry's largest travel-view window Electric-powered entrance step with integrated house battery compartment Third brake light Cable TV hookup with RG-6 coax Digital antenna with signal booster 4,000W generator Solar prep 12V house battery Transfer switch with reverse polarity protection 30-amp electrical service 12.2 gal. propane tank (41 lb.) LP quick-connect hookup Exterior utility center Winterization drain system Outside shower 12V demand water pump Water filtration system

#### INTERIOR

Overhead bunk with 750 lb. capacity 84 in. ceiling height High-intensity, recessed LED ceiling lights Ball-bearing drawer guides Interior entrance door grab handle Interior command center Pleated blackout shades 13,500 BTU ducted A/C 30,000 BTU auto-ignition furnace 6 gal. gas/electric DSI auto-ignition water heater 42 in. x 78 in. U-shaped dinette (22A, 22AF, 22E, 22EF) Jayco-exclusive, easy-operation legless dinette table (22C, 22CF, 31FF) 48 in. dinette bench with removable table (22T, 22TF) 2-point lap safety belts in all designated seating locations 10 cu. ft. 12V refrigerator 2-burner cooktop with flush cover Convection microwave oven Stainless steel kitchen sink Shower with decorative ABS surround Stainless steel bathroom sink Toilet with foot flush Queen-size bed with bedspread (22A, 22AF, 22C, 22CF, 22E, 22EF, 31FF) (2) twin-size beds with filler cushion convert to king-size bed (22T, 22TF) Bunks with industry-exclusive 300 lb. capacity each (31FF) Large wardrobes (select models) Smoke alarm Carbon monoxide detector Fire extinguisher

#### **OPTIONS**

Automatic hydraulic leveling jacks 200W solar panel with dual controller and second house battery

	FLOORPLAN	GVWR (lbs.)	GCWR (Ibs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
	22A	14,200	20,000	159″	25′ 4″	11' 6"	100″	84″	44	40	32
2	22C	14,200	20,000	159″	25' 4"	11' 6"	100″	84″	44	40	31
CUE/V	22E	14,200	20,000	159″	25′ 4″	11' 6″	100″	84″	44	40	31
	22T	14,200	20,000	159″	25' 4"	11' 6"	100"	84″	44	40	31
	22AF	12,500	8,500	158″	24' 9"	11' 6″	100″	84″	44	40	32
	22CF	12,500	18,500	158″	24' 9"	11' 6″	100″	84″	44	40	31
	22EF	12,500	18,500	158″	24' 9"	11' 6″	100″	84″	44	41	31
	22TF	12,500	18,500	158″	24' 9"	11' 6″	100″	84″	44	41	31
	31FF	14,500	22,000	223″	32′ 7″	11′ 6″	100″	84″	47	41	31

Meet your Jayco Dealer

Scan QR code for specification code for specification definitions Some specs at the time of print may include estimates. For the most updated information, please visit **Jayco.com** 

#### Jayco Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. Rvs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 2/25 ©2025 Jayco, Inc. 2032953

Jayco - Part of Jayco Family of Companies

