

WHITE HAWK 2017







24MBH



#LETSJAYCO

Where do you want to go? With Jayco, you're headed straight for family fun—regardless of the destination. From wooded campgrounds to sandy beaches, swimming hole docks to scenic byways, maximize the moment with unmatched quality and added comfort. So what are you waiting for? Make new memories—and share them with the world.

GENERATIONS OF FAMILY FUN



WHITE HAWK

BROADEN YOUR HORIZONS

Enjoy twice the expandable space—and the peace of mind—that comes with the industry's sturdiest slideouts. The White Hawk features impressive 36-inch-wide, ram-style slideouts with vacuum-bonded walls, double-bulb seals and a U-channel drip spout over all openings.

Is your tow vehicle WHITE HAWK ready?







WHITE HAWK

Take your camping experience to new heights. Thoughtful floorplans and standard slideouts pack value and comfort in a strong, lightweight package.









29REKS CHIL N' STOR

29REKS PASS-THROUGH PICNIC TABLE

FLOORPLANS

6



WHITE HAWK | 23MRB Ext. Lgth: 25' 11" Ext. Ht: 127" Unloaded Wt (lbs.): 5,135 Sleeps: 2-4



WHITE HAWK | 24RKS Ext. Lgth: 28' 9" Ext. Ht: 131" Unloaded Wt (lbs.): 5,245 Sleeps: 4-6



WHITE HAWK | 27RBOK Ext. Lgth: 31' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 6,010 Sleeps: 2-6



WHITE HAWK | 28RBKS Ext. Lgth: 31' 11" Ext. Ht: 131" Unloaded Wt (lbs.): 6,285 Sleeps: 2-5



WHITE HAWK | 31BHBS Ext. Lgth: 35' 11" Ext. Ht: 134" Unloaded Wt (lbs.): 7,150 Sleeps: 4-8

OPTIONS:

OPTION A



WHITE HAWK | 24MBH Ext. Lgth: 27' 9" Ext. Ht: 127" Unloaded Wt (lbs.): 5,415 Sleeps: 6-8



WHITE HAWK | 25BHS Ext. Lgth: 29' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 5,860 Sleeps: 7-8



WHITE HAWK | 28BHKS Ext. Lgth: 32' 11" Ext. Ht: 135" Unloaded Wt (lbs.): 6,675 Sleeps: 6-9



WHITE HAWK | 29REKS Ext. Lgth: 33' 9" Ext. Ht: 134" Unloaded Wt (lbs.): 6,965 Sleeps: 4-6



WHITE HAWK 24RDB Ext. Lgth: 26' 10" Ext. Ht: 131" Unloaded Wt (lbs.): 5,315 Sleeps: 3-4



WHITE HAWK | 27DSRL Ext. Lgth: 31' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 6,040 Sleeps: 2-6



WHITE HAWK | 28DSBH Ext. Lgth: 32' 9" Ext. Ht: 131" Unloaded Wt (lbs.): 6,115 Sleeps: 6-9



WHITE HAWK | 30RDS Ext. Lgth: 35' 3" Ext. Ht: 134" Unloaded Wt (lbs.): 6,620 Sleeps: 5-6



WHITE HAWK | 31RLKS Ext. Lgth: 36' 11" Ext. Ht: 136" Unloaded Wt (lbs.): 7,435 Sleeps: 4-6

OPTION	В	





FLOORPLAN LEGEND:

s	STORAGE	OHC	OVERHEAD CABINETS
H	TRAILER HITCH	FRIDGE	REFRIGERATOR
MICRO	MICROWAVE	WARD	WARDROBE

SPECS

MODELS	LS DIMENSIONS			G WEIGHT (LBS.)			TANKS (GALS.)				
FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT WITH A/C	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
23MRB	25' 11"	96"	127"	78"	5,135	650	6,500	1,365	48	30.5	30.5
24MBH	27' 9"	96"	127"	78"	5,415	610	6,750	1,335	48	30.5	30.5
24RDB	26' 10"	96"	131"	81"	5,315	535	6,750	1,435	48	30.5	30.5
24RKS	28' 9"	96"	131"	81"	5,245	660	6,500	1,255	48	45*	30.5
25BHS	29' 5"	96"	131"	81"	5,860	690	7,250	1,390	48	30.5	30.5
27DSRL	31' 5"	96"	131"	81"	6,040	685	7,500	1,460	48	30.5	30.5
27RBOK	31' 5"	96"	131"	81"	6,010	710	7,750	1,740	48	45*	30.5
28BHKS	32' 11"	96"	135"	81"	6,675	765	8,500	1,825	48	53*	30.5
28DSBH	32' 9"	96"	131"	81"	6,115	680	7,500	1,385	48	45*	30.5
28RBKS	31' 11"	96"	131"	81"	6,285	760	7,950	1,665	48	53*	30.5
29REKS	33' 9"	96"	134"	81"	6,965	785	8,500	1,535	48	61*	30.5
30RDS	35' 3"	96"	134"	81"	6,620	755	8,500	1,880	48	61*	30.5
31BHBS	35' 11"	96"	134"	81"	7,150	755	8,950	1,800	48	45*	30.5
31RLKS	36' 11"	96"	136"	81"	7,435	855	8,950	1,515	48	30.5	30.5

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all

passengers, personal items, food, fresh water, propane, tools, other cargo and

less than GVWR minus UVW. The addition of options will decrease the CCC.

to or subtract from the stated hitch weight.

Stabilizer jacks with sand pads (4)

STANDARD INTERIOR EQUIPMENT

Solid hardwood jointed cabinets with screwed-and-glued

Overhead cabinetry with smoked-glass and bead board inserts

Deep split-bowl acrylic sink with high-rise, pullout faucet and

6-cubic-foot (24RDB, 25BHS, 28BHKS, 28RBKS only) or 8-cubic-foot Norcold® refrigerator with magnet-friendly

Ball-bearing drawer glides with 75-pound capacity Arched interior ceiling (n/a on Murphy bed models)

Booth dinettes with removable storage tote(s) underneath

TWILIGHT

Wood grain accent paneling on select interior walls 60-inch x 80-inch queen beds with built-in storage totes

Directional and closeable central A/C vents 24-inch or 32-inch LED TV (model specific) AM/FM/CD/DVD/Bluetooth® stereo with speakers Tri-fold sofas (n/a on 24RDB, 24RKS, 25BHS or

Plywood dinette, bunk and bed bases

(60-inch x 74-inch in Murphy bed models)

U-channel drip spouts

30-amp service

Solar prep

sink cover

front panels

Black tank flush system

Rear camera backup prep Keyed-Alike[™] lock system

lumbercore cabinet stiles

Large residential countertops

3-burner, 9,000-BTU range Decorative backsplash

LED lighting throughout

Murphy bed models)

Exterior LED lights

Galvanized steel, impact-resistant wheel wells Slideout rooms with double seals, barrier sponges and

Dual 20-pound propane bottles with auto-regulator

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

STANDARDS AND OPTIONS

CUSTOMER VALUE PACKAGE (mandatory)	
13,500-BTU A/C	
Spare tire and cover	
Microwave	
6-gallon gas/electric auto-ignition water heater	
ABS propane bottle cover	
Bath skylight	
Outside shower	
Oven	
Tub surround	
Aluminum rims	
Power awning with LED light	
Electric tongue jack	

STANDARD EXTERIOR EQUIPMENT

Aerodynamic, rounded front profile with front diamond plate
Deluxe graphics package
TuffShell™ vacuum-bonded, laminated side, rear and front walls (including slideout room walls)
Magnum Truss [™] Roof System with seamless DiFlex II material
5/8-inch tongue-and-groove plywood-decked flooring
Fully enclosed underbelly
Norco® NextGen frame with integrated A-frame
Frameless, G20 dark-tinted windows
30-inch friction-hinged main entry doors (most models)
Swing-out grab handle
Exterior TV bracket with 110V and cable outlets
Outdoor camp kitchen (23MRB, 24MBH, 25BHS, 27RBOK, 28BHKS, 28RBKS)
Slamlatch [™] on front pass-through storage doors
Marine-grade exterior speakers (2)
Radial tires
Tracker-Wide™ axles with Super Lube™

INTERIOR DÉCOR

SHADOW



SOFA/CHAIR MAIN ACCENT BACKSPLASH FLOORING



SOFA/CHAIR MAIN ACCENT BACKSPLASH FLOORING

SOFA/CHAIR MAIN ACCENT BACKSPLASH FLOORING





dealer-installed accessories that can be carried by the trailer. CCC is equal to or weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you Hitch Weight (HW): The hitch weight, as used in product literature and other tow an RV, you must drive differently than when you drive a single vehicle. promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Javco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above Jayco-exclusive pillow-top Simmons® mattress with bedspread Full-height hanging wardrobes with adjustable shelves Fixed bunks with 110V outlet and corner shelf Teddy bear soft-touch bunk mats

It is important for your safety and enjoyment that your tow vehicle be adequately

sized and equipped to tow and handle the GVWR of the RV you select. Review

Bathroom medicine cabinets Porcelain foot flush toilet DiamondFlor[®] vinyl flooring with cold-crack resistance High-output Atwood auto-ignition furnace with wall thermostat **OPTIONS**

l edaesto	r Value Package with 15,000-BTU A/C ne fireplace with 40-inch LED TV (29REKS only)
	kylight with shade
	face kitchen countertops
	face kitchen countertops with island or peninsula
	becific) (24RDB, 25BHS, 28BHKS, 28RBKS, 29REKS)
Freestand (select m	ding table with 4 chairs in lieu of booth dinette odels)
Second 1	3,500-BTU A/C in rear bedroom (select models)
50-amp :	service with second A/C prep (select models)
30-pound	l propane bottles
2-bike ca	rrier rack (A-frame mounted)
	ackage: Astro-Foil™ insulation added to main floor, oom floor and roof
Power sta	abilizer jacks
5-way po	wer remote (select models)
8-way po	wer remote (select models)
Front mo	ded cap with LED headlights (n/a on 23MRB, 24MBH)
Chil N' St	or exterior refrigerator (n/a on 23MRB, 24MBH)
Exterior f	olding table (2-feet x 4-feet) in pass-through storage
Outside b	umper-mount grill
Roof lado	er
EZ Breez	e™ power roof vent (location varies by model)
Theater s	eating (select models)
Sani-Con	[®] Turbo waste management system
FI 1 1	uto-leveling system



^{*}Split Tank

MAKING MEMORIES THAT LAST GENERATIONS—LET'S JAYCO

Whether you're out for excitement, relaxation or just time together, we take steps others don't to help you stay focused on the fun. No cutting corners here. Let us go the extra mile so you don't have to.



THE JAYCO DIFFERENCE

- 1. Main walls and slideout walls are vacuum-bonded for 15-18 minutes using 144 tons of pressure to ensure a strong bond
- Seamless DiamondFlor[®] vinyl, laid over a 5/8-inch tongueand-groove plywood floor deck, stands up to family foot traffic and withstands cold, cracks and scratches
- 3. Lightweight materials and aerodynamic profile for easier towing
- Extra-wide corner seals on doors and windows to prevent leaks

JAYCO'S ROOF **VS** OTHER ROOFS





4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS THE MAGNUM TRUSSTM ROOF SYSTEM **50 percent stronger**

- 5. Magnum Truss Roof System withstands 4,500 pounds—50 percent more than other roofs
- 6. 3/8-inch roof decking secured at every seam
- 7. One-piece, sidewall-wrapped DiFlex II material provides the ultimate in leak protection
- 8. Norco[®] NextGen frame with integrated A-frame prevents the hitch from buckling

Travel with Confidence



At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2-year limited warranty. We, with support from our select partners, have you covered for **2 camping seasons**. That's **730 days**. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. We have the warranty that will follow you anywhere. For a copy of our 2-year limited warranty with complete terms and conditions, please contact your local Jayco dealer.

eco advantage^{*}

Jayco's long-term commitment to generations of family fun

After five years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet. Learn more at Jayco.com/EcoAdvantage

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

Follow Jayco



Generations of family fun.

Meet your Jayco Dealer

Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com 🛞 🖭 See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2017 Jayco, Inc. 274736-1 0117-30K. Printed in U.S.A.