





















S
ш
S

FLOORPLAN	EXTERIOR LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	INTERIOR HEIGHT BEDROOM	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING CAPACITY
32RLTS	36' 6"	8' 6"	13' 6"	8' 5"	6' 7"	12,725	2,445	15,500	2,775	85	87**	50	4 - 5
36FBTS	40' 11"	8' 6"	13' 6"	8' 6"	6' 7"	13,670	2,905	16,500	2,830	85	87**	87**	3 - 4
36KPTS	41' 2"	8' 6"	13' 6"	8' 6"	6' 7"	13,610	2,900	16,500	2,890	85	87**	50	3 - 4
36SSWS	40' 1"	8' 6"	13' 6"	8' 6"	6' 6"	13,910	3,287	16,750	2,840	85	87**	50	4 - 5
37MDQS	41' 9"	8' 6"	13' 6"	8' 5"	6' 8"	14,250	3,355	16,995	2,745	85	87**	50	6 - 8
38FLWS	41' 9"	8' 6"	13' 6"	8' 5"	6' 7"	14,275	4,225	16,995	2,720	85	107**	37	5 - 7

Some specs at the time of print may include estimates. For the most accurate information, please visit Jayco.com.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of the trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

**Split Tanks

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists estimated weight information for that vehicle. See specifications chart above.

PINNACLE FLOORPLANS

LEGEND


S STORAGE MICRO MICROWAVE

OHC OVERHEAD CABINETS

FRIDGE REFRIGERATOR WARD WARDROBE

OPTIONS

CARBON STEEL



EXTERIOR GRAPHICS

STANDARD GRAPHICS

EXTERIOR FULL BODY PAINT OPTIONS





S WASHER CABINET DRYER CABINET 72 X 80 KING BED TOWEL RACI WALK-IN SHOWER DRESSER W/ FIREPLACE & TV ABOVE 19' AWNING S OPTION OPTION OPTION EXTERIOR TV (OPTION) 10' AWNING (B) (C)

37MDQS

36SSWS



38FLWS



OPTION OPTION

(A)

(B)

Two Unique & Beautiful Concepts

True interior design. More choice. Mindful craftsmanship.

Every fixture, fabric and feature has been carefully selected and expertly installed. The result is an aesthetic that's extraordinary-with Jayco's famous high level of live-ability.

Led by Interior Designer
Stacy Stewart, our design,
product development and
engineering teams set out
to answer the call for more
choice in RV interiors and
developed a market-disrupting
design concept that could
be expertly crafted without
hampering production.

CASHMERE COTTAGE



KINGSTON









JAYCUMMÂND

THE JAYCOMMAND™ SYSTEM PUTS RVERS IN FULL CONTROL OF THEIR UNIT.

THE SYSTEM WAS CUSTOM-BUILT BY OUR PRODUCT DEVELOPMENT TEAMS

ALONG WITH BMPRO®, SO THAT OWNERS CAN MONITOR AND CONTROL KEY RV

OPERATIONS FROM A PHONE OR A TABLET.

PINNACLE STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Stronghold VBL™ aluminum framed and vacuum bond laminated gel-coated fiberglass exterior walls (including slide room end walls) Magnum Truss™ XL6™ Roof System (strongest tested roof in the industry) with one piece, seamless DiFlex II material Climate Shield™ zero-degree tested weather protection: Fully enclosed and heated underbelly (ducted), 40,000 BTU output furnace, double layer fiberglass batt insulation (roof, floor, cap, and slide room floors), PEX plumbing

HELIX Cooling System™ (industry exclusive): Dual exterior-mounted 15.000 BTU "Whisper Quiet" A/C units, Jayco exclusive insulated dual duct design, directional and closeable A/C vents, larger return air vents with user accessible filters

JavSMART™ (Safety Markers And Reverse Travel) LED lighting (patent-pending)

Painted fiberglass front and rear cap with built-in specialty LED lighting

Frameless dark tinted safety glass windows

Custom automotive-grade vinyl exterior graphics package

Skirt metal enclosed drop frame LED exterior lighting package

Dual 30 lb. propane bottles with auto regulator

Doorside compartment framed and vented for third propane bottle

Pass-through storage with Slam-latch™ baggage doors

Digital TV antenna with Wi-Fi

Exterior marine-grade speakers

Fully enclosed, LED-lit Nautilus universal docking center: Selectable water connections, quick-connect outside shower, black tank flush, winterization, and sanitation, independent satellite

and whole coach cable hookups

Water heater bypass

Battery disconnect Under-mounted spare tire

(Goodyear® Endurance® tires- Made in USA)

LP quick connect (outside grill prep)

Roof ladder

Equalizer hydraulic 6-point auto-leveling system with oversized foot pad

STANDARD INTERIOR EQUIPMENT

Solid hardwood slide fascia

Handcrafted and glazed doors, drawers and trim

Soft close, heavy-duty, 75 lb. full extension,

steel ball-bearing drawer glides

5/8 in. tongue and groove joined plywood floor decking

Shaw® residential carpeting with R2X® stain guard (Made in USA) in slideout only

Shaw® vinyl flooring (Made in USA) throughout Ceiling fan (select models)

LED interior lighting throughout

Crown molding with LED lighting in main living/kitchen areas

Toe kick night lights in bedroom, bathroom and kitchen Tri-fold hide-a-bed sofa with residential sleep surface

and ottoman (select models)

Stainless steel kitchen sink

Residential-grade, pullout kitchen faucet

21 cu. ft. residential refrigerator and 1,200W pure sine wave inverter Under-mounted stainless steel bathroom sink

Dual USB charging ports (kitchen and bedroom)

12V charging station

Extra 110V power outlets in kitchen and slide rooms

Bathroom skylight

Medicine cabinet with mirror and LED lighting above Bathroom multi-metal tile backsplash

Porcelain foot flush toilet

Residential guilted bedspread and pillows

Gas-strutted under-bed storage

CPAP prepped bedroom

Carbon monoxide and LP detector

CUSTOMER VALUE PACKAGE (MANDATORY)

MORryde® StepAbove™ entrance steps (main entrance) with blue LED light

15,000 BTU "Whisper Quiet" A/C (living room)

Electric patio awning with integrated LED lights

Quick recovery gas/electric DSI water heater (20 gal. per hour)

Residential king (72 in. x 80 in.) Serta® mattress with under-bed storage

Custom machined aluminum rims

LED HDTV with fully digital HDMI output

Dual mode 12V AM/FM/CD/DVD/USB/ A/V system

with Bluetooth® and HDMI®

Integrated sound bar

Keved Alike™ lock system (single key for all doors/locks)

Rooftop and ground solar prep by GoPower®

Backup camera prep (rear observation)

Hidden hinges

XL grab handle

5 STAR HANDLING PACKAGE (MANDATORY)

Goodyear® Endurance® tires (Made in USA, Load Range 'E') MORryde® pin box

Dexter® axles with Nev-R-Adjust® brakes and E-Z Lube® hubs MORryde® LRE-4000™ rubberized suspension

Wet bolt fasteners and bronze bushings

LUXURY PACKAGE (MANDATORY)

JAYCOMMAND™ "Smart RV" system powered by BMPRO®

Drinking Water System[™] (patent-pending)

2nd electric patio awning with integrated LED lights)

Hardwood Cherry and Maple cabinet stiles (varies by décor)

Central vacuum system

MCD® day/night roller shades in living room

21 cu. ft. residential refrigerator and 1200W pure sine wave inverter Freestanding (no pedestal) table with leaf and 2 storage

and 2 folding chairs

2nd 15,000 BTU "Whisper Quiet" A/C in bedroom

Washer/drver prep Dishwasher prep

Convection microwave

Insignia 24 in. range with 12,000 BTU burner and 3.73 cu. ft. oven Solid-surface kitchen counterop with solid surface sink covers

LED fireplace with 5,000 BTU electric space heater

Whole coach water purification system Powered 50 amp cord reel

Roof mount satellite prep

Cellular Prep for Antennae and JAYCOMMAND™

"Smart RV" System

Tire Pressure Monitoring System

Lamilux high gloss gel-coated sidewalls

Oversized multi-battery compartment (Industry leading)

OPTIONS

Canadian Standards (CSA)

Custom contemporary or traditional interior design (Industry first!) Customer Value Package: 15,000 BTU central air with heat pump

Full body paint- Desert Sand/ Carbon Steel

Serta® queen residential foam-top mattress Electric Euro lift bunk bed

18 cu. ft. Norcold Polar Max 2-way gas/electric refrigerator

with ice maker Overlander Solar Kit (solar controller and roof-mounted 190W panel)

Wireless backup/rear view camera kit

32 in. exterior built-in TV

3rd 15,000 BTU A/C (select models)

Sani-con® Turbo waste management system

Generator prep with 120 lb. Max LP system

5,500 W Onan® Microquiet LP generator

Frameless dual pane tinted safety glass windows

Slideout awnings (quantity varies by model)

2 in. accessory receiver hitch

Exterior grill



50 percent Stronger

4,500 lbs. on a Jayco Roof vs. other roofs





Jayco's Roof VS. Other Roofs

5-STAR HANDLING PACKAGE

The 5 Star Handling Package is a Jayco exclusive, a powerful blend of high-end American-made components that make pulling a luxury fifth wheel a breeze.







MORRYDE PIN BOX

Allows pin box to travel forward and backward as well as side-to-side, creating a smoother tow.



DEXTER HEAVY-DUTY SHACKLES WITH WET BOLT FASTENERS AND BRONZE BUSHINGS Resists the wear-and-tear of towing.



MORRYDE RUBBERIZED **SUSPENSION SYSTEM** Better absorbs and isolates road shock.



GOODYEAR BEAST TIRES Made in the U.S.A. and featuring the patented Durawall® technology.









CLIMATESHIELD

Extend your camping season with the Jayco Climate Shield.

It protects against extreme heat and extreme freezing—even in temperatures as high as 100 degrees or as low as zero degrees (Fahrenheit).*

BEDROOM



LIVING ROOM





KITCHEN





BATHROOM





HOLDING TANK







NO ONE OFFERS A BETTER WARRANTY

At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural warranty has you covered for **3 camping seasons or** 1,095 days. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited + 3-year structural warranty with complete terms and conditions, please contact your local Jayco dealer.



Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540 @ RVIA

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Javco, Inc. Printed in USA ?K ?/19 ©2019 Javco, Inc.

Follow Jayco #LetsJavco















^{*}Jayco tested fifth wheels in zero degrees F and 100 degrees F weather over an extended period of time in a controlled environment, and all functions of the coach were fully operational. Testing was done in a completely controlled environment; therefore, temperatures during testing may not represent actual temperatures in nature and cannot account for elements such as wind or moisture. In actual use, unit may not perform as well. Supplier of cooling components does not quarantee anything better than 20 degrees difference from ambient temperature. In addition, outside components are subject to freezing and require steps to properly insulate. Jayco's limited warranty does not cover damage caused by freezing. To learn more about Climate Shield and testing done by Jayco, visit www.jayco.com.